

Pro Release

Date Revised: FEB 2017 Supersedes: MSDS JAN 1992

MANUFACTURER:	Turley International Resources, LLC.
	4322 South 80 th Street
	Mesa, AZ 85212 - USA
	TEL: 844-786-6333 E: info@stoneedgesurfaces.com
MEDICAL: Contact I	Local Hospital or call 911 in US

SECTION 2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE MIXTURE:

HAZARD CLASS	CATEGORY	HAZARD STATEMENTS
Acute Toxicity, Oral	2	May be Fatal if swallowed
Acute Toxicity, Dermal	2	May be harmful in contact with skin
Skin corrosion / irritation	2	May cause skin irritation
Serious eye damage / Eye irritation	2	May causes eye irritation and serious eye damage
Carcinogenicity	2B	At this time there is not sufficient evidence to indicate that ingredients in this product may cause cancer in humans. There should be minimal risk when used with adequate ventilation.
Specific target organ toxicity, single exposure	2	May cause respiratory, eye and skin irritation
Specific target organ toxicity, repeated exposure	2	Central nervous system changes, including nervousness, tension, anxiety Not known to exhibit the following effects – toxicity, primary irritation, sensitization, corrosiveness, reproductive toxicity, carcinogenicity, or target organ toxicity.
Flammable Liquid	4	Flammable Liquid
Hazardous to Aquatic Life	4	Hazardous to Aquatic Life

OSHA HAZARD COMMUNICATION STANDARD:

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS LABEL ELEMENTS:

SIGNAL WORD: DANGER

PICTOGRAM(S):









PRECAUTIONARY STATEMENTS:

HEADING	OSHA Ref. #	Instructions
	P201	Obtain special instruction before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
	P211 + P233	Do not spray on an open flame or other ignition source. Keep container Tightly Closed
PREVENTION:	P240 + P241	Ground/Bond Container & Receiving Equipment. Use explosion proof electrical/ventilating/lighting/./ equipment
PREVENTION.	P242 + P243	Use only Non Sparking Tools. Take precautionary measures against static discharge.
	P261	Avoid breathing dust/fumes/gas/mist/vapors/spray.
	P270	Do not eat, drink, and smoke when using this product.
	P280	Wear protective gloves/ protective clothing / eye protection/ face protection.
	P264	Wash exposed area with plenty of water and soap thoroughly after handling.
	P301 + P330 + P312	IF SWALLOWED: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.
	P331	Do not induce vomiting.
	P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P363	Wash contaminated clothing before reuse.
RESPONSE:	P304 + P340 + P310	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call
		a POISON CENTER or doctor/ physician
	P305+ P351+ P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	D200 + D210 + D212	Continue rinsing.
	P308 + P310 + P313	IF exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER or doctor/ physician.
STORAGE:	P404 + P235 + P405	Store in a Closed Container. Keep cool. Store Locked Up
DISPOSAL:	P501	Dispose of contents/container to hazardous or special waste collection point in accordance with local/regional/national/international regulations

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS#	EC#	Concentration, %	Trade Secret			
Distillates (petroleum), hydrotreated light	64742-47-8	232-489-3	60-100	*			
Proprietary	Trade Secret	Trade Secret	1-5	*			
*The exact percentag	*The exact percentage (concentration) of composition has been withheld as a trade secret						



Pro Release

Date Revised: FEB 2017 Supersedes: MSDS JAN 1992

SECTION 4 – FIRST AID MEASURES

EMERGENCY INFORMATION:

Stone Edge Surfaces Pro Release is a clear liquid. May cause dizziness, headache, watering of eyes, eye irritation, weakness, nausea, muscle twitches, and depression of central nervous system. Severe overexposure may cause convulsions, unconsciousness, nausea, weakness, muscle twitches, gastrointestinal irritation, diarrhea, and death.. Use exposure controls or personal protection methods described in Section 8.

EYES: Immediately flush eye thoroughly with water. Remove contacts if easy to do. Continue flushing eye for at least 15 minutes, including under lids. Call physician immediately. **SKIN:** Wash skin with cool water and pH-neutral soap or a mild detergent. Seek medical

SKIN: Wash skin with cool water and pH-neutral soap or a mild detergent. Seek medical treatment if irritation or inflammation develops or persists. Seek immediate medical treatment in the event of burns.

<u>INHALATION:</u> Remove person to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Seek medical help if coughing and other symptoms do not subside. Inhalation of large amounts of Wall Mix require immediate medical attention. <u>INGESTION:</u> Do not induce vomiting. If conscious, have victim drink plenty of water and call a physician immediately. Never give anything by mouth to an unconscious person

SECTION 5 – FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:	Use carbon dioxide, dry powder, or foam, sand.
UNSUITABLE EXTINGUISHING MEDIA:	CAUTION: Use of water spray when fighting fire may be inefficient
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	This product is flammable. Containers at risk from fire should be cooled with water spray and, if possible, removed from the danger area.
HAZARDUS COMBUSTION PRODUCTS:	Product is flammable. Carbon dioxide (CO2). Carbon monoxide. OSHA Class II
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:	Wear self-contained breathing apparatus and protective suit.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

	Keep unnecessary and unprotected personnel from entering spill area. Do not touch or walk through spilled
EMERGENCY PROCEDURES:	material. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment
	used when handling the product must be grounded.
	Use personal protective equipment as required. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure
PROTECTIVE EQUIPMENT:	adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas.
	Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent
PROPER METHODS OF CONTAINMENT:	material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local /
	national regulations (see Section 13). Dike to collect large liquid spills
	Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later
CLEANUP:	disposal. Use clean non-sparking tools to collect absorbed material. Ground and bond containers when transferring
	material. Dike to collect large liquid spills.
	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater, basements or confined areas. Large
ENVIRONMENTAL PRECAUTIONS:	spills in waterways may be hazardous. Inform the relevant authorities if the product has accessed waterways or
	other natural areas. See Section 12 for more details.

SECTION 7 – HANDLING AND STORAGE

	PRECAUTIONS FOR
	SAFE HANDLING:
ı	

Use adequate ventilation methods. Avoid breakage of buckets or spills of liquid material. Wear appropriate respiratory, eye and skin protection. Avoid contact with skin and eyes. Wash hands thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Never pierce, drill, grind, cut, saw or weld any empty container.

PRECAUTIONS FOR STORAGE:

INCOMPATIBILITIES:

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep container tightly closed in a dry and well-ventilated place. Do not store near combustible materials. Containers which are opened must be carefully resealed and kept upright to prevent leakage

Keep away from Strong oxidizing agents, strong alkalis, strong acids.

SECTION 8 – PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

OSHA's PERMISSABLE EXPOSURE LIMITS (PEL)

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

COMPONENTS	CAS#	OSHA PEL ppm	Cal/OSHA PEL 8-hour TWA, ppm	ACGIH 2017 TLV 8-Hr TWA, ppm	OSHA PEL mg/m ^{3(e)}	Cal/OSHA PEL 8-hour TWA, mg/m ³	NIOSH REL Up to 10-hour TWA, mg/m ³	ACGIH 2017 TLV 8hrs TWA, mg/m ³
Distillates (petroleum), hydrotreated light	64742-47-8	500	100	100	2,900	525	350	525

	ENGINEERING CONT	TROLS: Avoid spilling liquid. Avoid splashing liquid, eye wash stations, showers, ventilation recommended			
PERSONAL PROTECTIVE EQUIPMENT (PPE).					
	RESPIRATORY	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures			
	PROTECTION:	are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate			
	PROTECTION.	respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators			



Pro Release

Date Revised: FEB 2017 Supersedes: MSDS JAN 1992

	CTION:	Wear fa	ace shield o	r safety g	glasses with sid	le shields or gogg	gles				
SKIN			Vear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear								
PROTECTIO	N:	chemic	al resistant	gloves at	t minimum. Wa	ash skin immedia	ately upon cont	act. W	/ash hands at mealti	me and	l end of shift.
ECTION 9	9 – PH	YSICAI	L AND CI	HEMIC	AL PROPE	RTIES					
VISCOSITY				Unkn	iown		APPERANC	CE:		Clear	rliquid
ODOR & OD	OR THR	ESHOLD:		_	ls like Bubble G	Gum	FLASH POINT:			eg. C (151 Deg. F)	
BOILING PO	BOILING POINT: 320 Deg. F						MELTING F	POINT	ī:		Deg. C
	VAPORATION RATE: Slower than ether								(SOLID/GAS)	1	Relevant
VAPOR PRESSURE: Not Available					Available				(ASTM D 1293-95)		Available
					Available		SOLUBILIT		•		soluble
			Not A	Available		UPPER/LO	WER I	FLAMMABILITY	Lowe	er .5 Upper 6.5	
PARTITION	COEFFIC	IENT: n-c	octano/wtr	. Not A	Available		AUTO IGN	IITION	TEMPERATURE	Not A	Available
ECTION 1				•	IVITY						
CHEMICAL S			-	table							
CHLIVITCAL	JIADILII	1.									
			I ⊢		us Polymerizati	ion:			Will Not occur.		
CHEMICAL F	REACTIV	ITY:	I I—		n to Metals:				Not Available		
				Oxidizing	Properties:				Not Available		
CONDITION	S TO AV	OID:	Ex	xtreme te	emperatures, d	irect sunlight, fla	ame, static discl	harge,	, sparks		
INCOMPATI	IRII ITY				-	xidizing agents,			-		
HAZARDOU:	S DECON	VIPOSITIO	ON: H	azardous	decomposition	n products forme	ed under fire co	onditio	ons, carbon oxides.		
						ion, and initialati	ion or vapors (c	specie	ally if sprayed or hea	ted).	
			ical Name		_	Oral L	.D50		Dermal LD50	-	Inhalation LC50
		m), hydro		ht. CAS#	_		.D50			-	Inhalation LC50 > 5.2 mg/L (Rat) 4 h
Distillates (p	OF EXPOS	m), hydro SURE:	otreated lig		64742-47-8	Oral L > 5000 mg/	.D50 /kg (Rat)	>	Dermal LD50 > 2000 mg/kg(Rabb	it)	
YMPTOMS C	OF EXPOS	m), hydro SURE:	otreated lig		64742-47-8	Oral L > 5000 mg/	. D50 /kg(Rat) uses serious eye	> e irrita	Dermal LD50 > 2000 mg/kg (Rabb ation. Causes skin irri	it) tation.	> 5.2 mg/L (Rat) 4 h
YMPTOMS C	OF EXPOS	m), hydro SURE:	otreated lig		64742-47-8	Oral L > 5000 mg/ ory irritation. Cau Harmful or fa	.D50 /kg (Rat) uses serious eye atal if swallow	e irrita	Dermal LD50 > 2000 mg/kg (Rabb ation. Causes skin irri bxic by the ingestio	it) tation. n. Adve	> 5.2 mg/L (Rat) 4 h
YMPTOMS C	owsiness	m), hydro SURE:	otreated lig		64742-47-8	Oral L > 5000 mg/ ory irritation. Cau Harmful or fa		e irrita red. To	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio	it) tation. n. Adve r huma	> 5.2 mg/L (Rat) 4 h erse symptoms may included ans estimated at 3-4 oz, b
YMPTOMS C	owsiness	m), hydro SURE: s or dizzii	otreated lig		64742-47-8	Oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n	.D50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller an	e irrita red. To	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio	it) tation. n. Adve r huma	> 5.2 mg/L (Rat) 4 h
YMPTOMS C	owsiness	m), hydro SURE: s or dizzii	otreated lig		64742-47-8	Oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n aspiration into	.D50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs.	e irrita red. To d diar mount	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ed	it) tation. n. Adve r huma dema ai	> 5.2 mg/L (Rat) 4 h erse symptoms may includens estimated at 3-4 oz, but and possible death because
YMPTOMS C	OF EXPOS owsiness INGES	m), hydro SURE: s or dizzii	otreated lig		64742-47-8	Oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n aspiration into	.D50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, i	e irrita red. To d diar mount	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ed ause respiratory trad	it) tation. n. Adve r huma dema a	> 5.2 mg/L (Rat) 4 h erse symptoms may includens estimated at 3-4 oz, but nd possible death because tion and coughing. Effects a
YMPTOMS C	OF EXPOS owsiness INGES	m), hydro SURE: s or dizzii	otreated lig		64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fr abdominal paingestion of maspiration into Moderately to typically those	.D50 /kg (Rat) uses serious eye atal if swallow ain, nausea an nuch smaller ar o lungs. oxic if inhaled, i e of most hydro	e irrita red. To d diar mount	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ecuase respiratory trac ons, dizziness and eu	it) tation. n. Adve r huma dema al	> 5.2 mg/L (Rat) 4 h erse symptoms may included ans estimated at 3-4 oz, but and possible death because tion and coughing. Effects a leading to unconsciousness
YMPTOMS C	OF EXPOS owsiness INGES	m), hydro SURE: s or dizzii	otreated lig		64742-47-8	oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n aspiration into Moderately to typically those severe cases.	.D50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, if e of most hydro Vapors also iri	e irrita red. To d diar mount may co ocarbo	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ecuause respiratory trac ons, dizziness and eu the respiratory trac	it) tation. n. Adve r huma dema an ct irritat phoria I t. Symp	> 5.2 mg/L (Rat) 4 h erse symptoms may included ans estimated at 3-4 oz, but not possible death because tion and coughing. Effects at leading to unconsciousness ptoms may include coughir
YMPTOMS C	INGES	m), hydro SURE: s or dizzii	otreated lig		64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat	.D50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, if e of most hydro Vapors also ir iching and chest	e irrita red. Tod d diar mount may cocarbo critate pain.	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ecus ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous sy	it) tation. n. Adve r huma dema an ct irritat phoria l t. Symp stem de	> 5.2 mg/L (Rat) 4 h erse symptoms may included ans estimated at 3-4 oz, but not possible death because tion and coughing. Effects at leading to unconsciousness ptoms may include coughir
YMPTOMS C	INGES INHAI	m), hydro SURE: s or dizzii STION:	otreated lig		64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, if e of most hydro Vapors also in hing and chest ing to the skin.	e irrita red. Tod d diar mount may cocarbo critate pain.	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ecus ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous sy	it) tation. n. Adve r huma dema an ct irritat phoria l t. Symp stem de	> 5.2 mg/L (Rat) 4 h erse symptoms may included ans estimated at 3-4 oz, but and possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant.
YMPTOMS C May cause dro	INGES INHAI	m), hydro SURE: SURE: STION: LATION:	otreated lig		64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, if e of most hydro Vapors also in thing and chest ing to the skin.	e irrita red. To d diar mount may co cocarbo rritate pain. Prolor	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung eco ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syn nged dermal contact,	it) tation. n. Adve r huma dema an ct irritat phoria l t. Symp stem de , may re	> 5.2 mg/L (Rat) 4 h erse symptoms may included ans estimated at 3-4 oz, but and possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant.
YMPTOMS C May cause dro	INGES INHAI SKIN I	m), hydro SURE: s or dizzir STION: LATION: CORROSI	otreated lig	led. May	64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of Irritating to th may be irritati	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. fi the skin. he eyes with add ing at concentra	e irrita red. To d diar mount may co ocarbo rritate pain. Prolor lverse ations	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung eco ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syinged dermal contact, symptoms may inclu of 450 ppm and abor	tation. n. Adver huma dema arctirritat phoria lt. Sympstem de may reduce tear ve (15 m	> 5.2 mg/L (Rat) 4 h erse symptoms may include ans estimated at 3-4 oz, be not possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and containing the properties of the properti
YMPTOMS C May cause dro	INGES INHAI SKIN I	m), hydro SURE: s or dizzir STION: LATION: CORROSI	otreated lig ness if inhal ness if inhal	led. May	64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of Irritating to th may be irritati	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. fi the skin. he eyes with add ing at concentra	e irrita red. To d diar mount may co ocarbo rritate pain. Prolor lverse ations	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ec ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syinged dermal contact, symptoms may inclu	tation. n. Adver huma dema arctirritat phoria lt. Sympstem de may reduce tear ve (15 m	> 5.2 mg/L (Rat) 4 h erse symptoms may include ans estimated at 3-4 oz, be not possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and containing the properties of the properti
YMPTOMS C May cause dro	INGES INHAI SKIN I EYE D	m), hydro SURE: s or dizzir STION: LATION: CORROSI IRRITATI	otreated lig ness if inhal ION ON & IRRITATI	ed. May	64742-47-8	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritati or blistering of Irritating to th may be irritati with the liquid	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may include ans estimated at 3-4 oz, be not possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and containing the properties of the properti
YMPTOMS C May cause dro	INGES INHAI SKIN (SKIN I EYE D SPECI	m), hydro SURE: s or dizzir STION: LATION: CORROSI IRRITATI	ion oness if inhal ion on & IRRITATI	ed. May	64742-47-8 cause respirato	oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritati or blistering of Irritating to th may be irritati with the liquid	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects aleading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and contago eye tissues
YMPTOMS C May cause dro	INGES INHAI SKIN (SKIN I EYE D SPECI	m), hydro SURE: s or dizzin STION: LATION: CORROSI IRRITATION AMAGE FIC TARG LE EXPOS	ION ON & IRRITATION GET ORGAN GURE:	ed. May	64742-47-8 cause respirato	oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of Irritating to th may be irritati with the liquid This product of after single ex	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects aleading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and contago eye tissues
YMPTOMS C flay cause dro	INGES INGES INHAI SKIN I SKIN I SPECII SINGLE SPECII REPEA	m), hydro SURE: SOR dizzin STION: LATION: CORROSI IRRITATION AMAGE FIC TARG AT EXPOS	ION ON & IRRITATION GET ORGAN GURE: GET ORGAN SURE:	ed. May	64742-47-8 cause respirato	Oral L > 5000 mg/ > 5000 mg/ Ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritati or blistering of Irritating to th may be irritati with the liquid This product of after single ex None known	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects aleading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and contago eye tissues
YMPTOMS C lay cause dro	INGES INGES INHAI SKIN I SKIN I SPECII SINGLE SPECII REPEA	m), hydro SURE: SOR dizzin STION: LATION: CORROSI IRRITATION AMAGE FIC TARG E EXPOS FIC TARG	ION ON & IRRITATION GET ORGAN GURE: GET ORGAN SURE:	ed. May	64742-47-8 cause respirato	oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of Irritating to th may be irritati with the liquid This product of after single ex	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects aleading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and contago eye tissues
YMPTOMS C lay cause dro	INGES INGES INHAI SKIN I SYECI SINGL SPECI REPEL ASPIR	m), hydro SURE: SOR DIZZI STION: LATION: CORROSI IRRITATI AMAGE FIC TARG AT EXPOS RATION H	ION ON SURE: GET ORGAN SURE: HAZARD:	ON GENERA	64742-47-8 cause respirato	Oral L > 5000 mg/ ory irritation. Cau Harmful or fa abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of Irritating to th may be irritati with the liquid This product of after single ex None known	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects aleading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and contago eye tissues
YMPTOMS C flay cause dro	INGES INGES INHAI SKIN I SPECI SINGL SPECI REPEL ASPIR	m), hydro SURE: SOR OI DE STION: LATION: CORROSI IRRITATI AMAGE FIC TARG AT EXPOS FIC TARG AT EXPOS ATTENDO H	ION ON SURE: GET ORGAN SURE: HAZARD:	ON GENERA I GENERA	64742-47-8 cause respirato	Oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of maspiration into Moderately to typically those severe cases. difficult breat May be irritation or blistering of Irritating to the may be irritation with the liquid This product of after single ex None known Not an aspiration	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo	e irrita red. To d diar mount may co carbo ritate pain. Prolor lverse ations e pain	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung econs, dizziness and eu the respiratory trace A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam	tation. n. Adver huma dema arct irritat phoria It. Sympstem de may rede tear ve (15 maging to	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects aleading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and contago eye tissues
YMPTOMS C flay cause dro ACUTE TOXICITY	INGES INGES INHAI SKIN I SPECI SINGL SPECI REPEL ASPIR	m), hydro SURE: SOR OI DE STION: LATION: CORROSI IRRITATI AMAGE FIC TARG AT EXPOS FIC TARG AT EXPOS ATTENDO H	ION ON SURE: GET ORGAN SURE: HAZARD:	ON GENERA I GENERA	L TOXICITY No Data Ava No Data Ava	Oral L > 5000 mg/ > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of maspiration into Moderately to typically those severe cases. difficult breat May be irritation or blistering of Irritating to the may be irritation with the liquid This product of after single ex None known Not an aspiration	Joso Joso	e irrita red. To d diar mount may co ocarbo orritate pain. Prolor verse ations e pain onents	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ec ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syinged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam s that may cause res	it) tation. n. Adver r huma dema and tirritat phoria I t. Symp stem de may re de tear ve (15 m laging to piratory	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and conta o eye tissues y tract, eye and skin irritati
ACUTE TOXICITY	INGES INGES INGES INHAI SKIN I SPECI SINGL SPECI REPEL ASPIR Respi Gene	m), hydro SURE: SOR dizzin STION: LATION: CORROSI IRRITATI AMAGE FIC TARG AT EXPOSI RATION H iratory a erative Co	ION ON & IRRITATION GET ORGAN SURE: GET ORGAN SURE: HAZARD: und Skin Ser ell Mutager	ON GENERA I GENERA	AL TOXICITY No Data Ava No Data Ava There is inad	Oral L > 5000 mg/ ory irritation. Cau Harmful or fi abdominal pa ingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritat or blistering of Irritating to th may be irritati with the liquid This product of after single ex None known Not an aspirati liable lequate evidence	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and nuch smaller ar o lungs. oxic if inhaled, e of most hydro Vapors also in thing and chest ing to the skin. he eyes with add ing at concentra d solvent can be contains compo kposure. tion hazard.	e irrita ed. To d diar mount may co ocarbo rritate pain. Prolor verse ations e pain onents	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ec ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syinged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam is that may cause res arcinogenicity of the	tation. n. Adver huma dema and tirritat phoria lat. Sympstem de may reve (15 maging to piratory	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, buring, redness and pain. Vaponinutes exposure) and conta o eye tissues y tract, eye and skin irritati
YMPTOMS C flay cause dro ACUTE TOXICITY	INGES INGES INGES INHAI SKIN I SPECI SINGL SPECI REPEL ASPIR Respi Gene	m), hydro SURE: SOR OI DE STION: LATION: CORROSI IRRITATI AMAGE FIC TARG AT EXPOS FIC TARG AT EXPOS ATTENDO H	ION ON & IRRITATION GET ORGAN SURE: GET ORGAN SURE: HAZARD: und Skin Ser ell Mutager	ON GENERA I GENERA	AL TOXICITY No Data Ava No Data Ava There is inad limited evide	Oral L > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritati or blistering of Irritating to the may be irritati with the liquid This product of after single ex None known Not an aspirati liable lequate evidence ence in experime	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. Doxic if inhaled, if e of most hydro Vapors also in thing and chest ing to the skin. The eyes with add ing at concentrat d solvent can be contains compo exposure. tion hazard.	e irrita ed. To d diar mount may co ocarbo rritate pain. Prolor lverse ations e pain onents	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung eco ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syn nged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam is that may cause res arcinogenicity of the carcinogenicity of the	tation. n. Adver huma dema and tirritat phoria list. Sympostem de may record to the control of	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, burning, redness and pain. Vaponinutes exposure) and contain eye tissues y tract, eye and skin irritati
ACUTE TOXICITY	INGES INGES INHAI SKIN O SKIN I SPECI SINGL SPECI REPEL ASPIR Respi Gene	m), hydro SURE: SOR dizzin STION: LATION: CORROSI IRRITATI AMAGE FIC TARG AT EXPOSI ATTON H iratory a erative Co inogenici	ION ON & IRRITATION GET ORGAN SURE: GET ORGAN SURE: HAZARD: und Skin Ser ell Mutager	ON GENERA sitizer:	AL TOXICITY No Data Ava No Data Ava There is inad limited evide	Oral L > 5000 mg/ ory irritation. Cau Harmful or fi abdominal paingestion of n aspiration into Moderately to typically those severe cases. difficult breat May be irritati or blistering of Irritating to the may be irritati with the liquid This product of after single ex None known Not an aspirati liable lequate evidence ence in experime	LD50 /kg (Rat) uses serious eye atal if swallow ain, nausea and much smaller ar o lungs. Doxic if inhaled, if e of most hydro Vapors also in thing and chest ing to the skin. The eyes with add ing at concentrat d solvent can be contains compo exposure. tion hazard.	e irrita ed. To d diar mount may co ocarbo rritate pain. Prolor lverse ations e pain onents	Dermal LD50 2000 mg/kg (Rabb ation. Causes skin irri oxic by the ingestio rrhea, Fatal dose fo ts may cause lung ec ause respiratory trac ons, dizziness and eu the respiratory trac A central nervous syinged dermal contact, symptoms may inclu of 450 ppm and abor ful and possibly dam is that may cause res arcinogenicity of the	tation. n. Adver huma dema and tirritat phoria list. Sympostem de may record to the control of	> 5.2 mg/L (Rat) 4 h erse symptoms may includers and sestimated at 3-4 oz, beind possible death because tion and coughing. Effects a leading to unconsciousness proms may include coughing epressant. esult in severe irritation, burning, redness and pain. Vaponinutes exposure) and contain eye tissues y tract, eye and skin irritati



Pro Release

Date Revised: FEB 2017 Supersedes: MSDS JAN 1992

SECTIONS 12 – ECOLOGICAL	INFORMATI	ON						
	Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.							
ECOTOXICITY	Chemical Name		Algae/aquatic plants	Fish	Crustacea			
ECOTOXICITY	Distillates (petroleum), hydrotreated light 64742-47-8		-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	4720: 96 h Den- dronereides heteropoda mg/L LC50			
PERSISTENCE AND DEGRADABILITY:	No Date Availa	ble						
BIOACCUMULATIVE POTENTIAL:	No Date Availa	ble						
MOBILITY IN SOIL:	No Date Availa	ble						
OTHER ADVERSE EFFECTS:	No Date Availa	ble						
ECOTOXICITY TEST RESULTS: Limited	information is av	ailable						
Chemical Name	Algae/aquatic plants			Crustacea				
Distillates (petroleum), hydrotreated light 64742-47-8	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static mg/L LC50 mg/L LC50 static mg/L LC50						
SECTION 13 - DISPOSAL COI	NSIDERATIO	NS						

PRODUCT DISPOSAL:	Under RCRA 40 CFR 261 this material is a hazardous waste. Dispose of in accordance with all federal, state, and local regulations. If uncertain of local reguirements, contact the proper environmental authorities for information on waste disposal in your area.
	Contact a licensed professional waste disposal service to dispose of this material.
CONTAINER DISPOSAL:	Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately
CONTAINER DISPOSAL:	reconditioned or dispose of (contents/container) in accordance with local/regional/national/international regulations.

SECTION 14 – TRANSPORTATION CONSIDERATIONS

	Land transport, U.S. DOT:	Non-Regulated
	Sea transport, IMDG	Material is expected to be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment
	Air transport, IATA/ICAO:	UN3295, HYDROCARBONS, LIQUID, N.O.S., 3, III

SECTION 15 - REGULATORY INFORMATION (Non-Mandatory Section as per OSHA: Not a Complete List)

International I	NVENTORIES

IN ENTATIONAL INVENTORIES	
United States Toxic Substances Control Act Section 8(b) Inventory	Does not comply
Canadian Domestic Substances List/Non-Domestic Substances List	Does not comply
European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances	Does not comply
Japan Existing and New Chemical Substances	Does not comply
China Inventory of Existing Chemical Substances	Does not comply
Korean Existing and Evaluated Chemical Substances	Does not comply
Philippines Inventory of Chemicals and Chemical Substances	Does not comply
Australian Inventory of Chemical Substances	Does not comply
	Canadian Domestic Substances List/Non-Domestic Substances List European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances Japan Existing and New Chemical Substances China Inventory of Existing Chemical Substances Korean Existing and Evaluated Chemical Substances Philippines Inventory of Chemicals and Chemical Substances

U.S. FEDERAL REGULATIONS

OSHA HCS: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29CFR 1910.1200.

SARA 313	Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372		
	Acute health hazard	Yes	
CADA 244 /242	Chronic Health Hazard	Yes	
SARA 311/312 Hazard Categories	Fire hazard	Yes	
nazaru Categories	Sudden release of pressure hazard	Yes	
	Reactive Hazard	No	
Clean Water Act	This product contains substances which are regulated pollutants pu	rsuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)	
Clean Air Act	Ozone Depleting Substances (ODS): This product does not contain and is not manufactured with ozone depleting substances.		
Clean Air Act	Hazardous Air Pollutants, OSHA, Section 112(b), Table Z-1 and Table Z-3:		
CERCLA	This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive		
CERCLA	Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)		

US STATE REGULATIONS (If Known)

	STATE	INFORMATION
	CA Proposition 65	This product contains chemicals known to the state of California to cause birth defects or other reproductive harm
	U.S. State Right-to-Know Regulations	Unknown
	U.S. EPA Label Information	Unknown



Pro Release

Date Revised: FEB 2017 Supersedes: MSDS JAN 1992

SECTION 16 – OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme I-Protective Equipment: Safety glasses, gloves, dust & vapor respirator

Health	2
Flammability	2
Reactivity	0
Personal Protection	I



OTHER INFORMATION:

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY TURLET INTERNATIONAL RSOURCES, LLC., except that the product shall conform to contracted specifications. The information provided herein was believed by TURLEY INTERNATIONAL RESOURCES, LLC. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product, failure of product due to manufacturers defect, and whether based on contract, breach of warranty, negligence, or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages or labor of any kind, whether Buyer's claim is based on contract, breach of warranty, negligence, manufacturers defect, product failure, or otherwise.

REVISED: February 20, 2017

REVISED BY: BG: Stone Edge Surfaces Pro Release SDS v1.2 022317 - Word

END OF SHEET